

for You
we Stock



KILN-DRIED

**Hickory Striking Tool
Replacement Handles**

Manufactured by

The LAPIERRE SAWYER HANDLE CO.

Jackson, Missouri

FOR OVER 50 YEARS

We sell through wholesalers only



for You
we Stock



KILN-DRIED

**Hickory Striking Tool
Replacement Handles**

Distributed by



YOU SAVE NEW TOOL \$\$\$\$

By always replacing Broken or Damaged
handles with our Brands of Kiln
Dried Hickory Replacement Tool
Handles.

YOU SAVE HIGH COST

OF NEW TOOLS

By always using our Brands of Kiln
Dried Hickory Replacement
Striking Tool Handles.

**Don't
THROW YOUR
Striking TOOLS
(MONEY)
AWAY**

YOUR OLD

**STRIKING TOOLS
BECOME NEW TOOLS**

Everytime you replace
the Broken or Damaged
handles with our
Brands of Kiln
Dried Hickory Replacement
Tool Handles.

YOUR STRIKING

TOOLS LAST LONGER

By replacing the Broken or
Damaged handles with our
Brands of Kiln Dried
Hickory
Replacement
Tool Handles.


MUCH CHEAPER FOR YOU

To always replace any
Broken or Damaged tool
handle with our Brands of
Kiln Dried Hickory
Replacement Tool
Handles.

REMEMBER

Only use our
Brands — Hickory
Replacement
Tool Handles
— All are Kiln
Dried.






Hickory (Red or White wood) is a tough long fiber wood—will take shocks much better and will last longer. That is why Hickory is used for Striking Tool Handles.



Some Hickory Handles will become crooked and some warped even though they are kiln dried (Never buy Handles that are not kiln dried—almost 40 percent of the Handles made today are not kiln dried). **SEAL BRANDS ARE ALWAYS KILN DRIED.**




It is very easy for you to straighten any kiln dried handles that should become crooked (or bent) in your stock. Place the handle in a vice at the point where it is most crooked—Use two small pieces of wood between the handle and the jaws of the vice. Close vice tight, then push the end of the handle away or pull toward you—Try It—It is easy.

Help
Han
Know
fo
YO


ALWAYS BUY and USE SEAL BRAND Hick




Severely warped (or twisted) handles are defective because they are hard to use efficiently and effectively. We replace those severely warped handles provided they are not over six months old — Remember, not over six months old.



You can prevent a great percentage of crooked and warped handles by not over buying (always buy a few dozen at a time and from your jobber only).



By all means try to keep your handles in a cool place—Never near stoves, furnaces, heat pipes or near roofs and ceilings. Always keep handles lying flat and not on ends except just a few for display purpose but sell them often.



ory Replacement Tool Handles—Preferred.

Look

All these advantages for you **MANY MORE TOO!**

When you have to buy new tools — buy the tool heads only — then use our handles — they are always the best to use.

You save money by always using our brands of hickory replacement striking tool handles — why not check your damaged tools and your stock now — then send us an order.



EACH HANDLE IN OUR "POPULAR" BRANDS ARE:

Made by long experienced handle craftsmen so that each handle is very smooth — standard in size — perfect in shape and balance (conforming to our replacement handle specifications) — easy to use with less effort and best for accuracy — only a minimum of working the eye end down is required to fit the handle to a tool.



Kiln Dried — therefore, they will not shrink in size and will not become loose after they are fitted to the tools — this reduces many costly accidents. (You cannot grade a handle for quality and for price until the handle is kiln dry). Kiln dry handles reduce future warpage approximately 98%.


ALWAYS BUY and USE SEAL BRAND HICKORY



Graded and inspected several times by efficient, competent handle graders — for quality and for long and hard service — so each handle is priced correct for its particular brand and each brand is a true uniform grade. This saves money for you — reduces production cost and costly accidents.



Coated with a smooth wax finish — easy to grip and use — and you can "See What You Buy" because these handles are not hidden completely under color stain or color lacquer, or hidden in color paper bags — "You See What You Buy And Use."



Packed in extra heavy cartons — one dozen long handles to a carton and one dozen short handles to a carton — you are assured of receiving our handles in good condition. We sell less than one dozen handles of a kind at a little higher price.

Dry Replacement Tool Handles — Preferred.

SAFETY—STURDY, SLEDGE AND MAUL HANDLES

STANDARD OVAL SLEDGE OR DOUBLE JACK HANDLE
24" Eye Size 1" x 1 1/4" for 4-5 lb. Sledges
26", 28", 30" Eye Size 1" x 1 1/8" for 6-8 lb. Sledges
32", 34", 36" Eye Size 1" x 1 3/8" for 10-16 lb. Sledges

EXTRA HEAVY—LARGE SPECIAL SLEDGE
36", 40", 42" Eye Size 1 1/2" x 1 1/4" for 18-24 lb. Sledges



OCTAGON SLEDGE HANDLES
26" to 42"—(Size specifications same as oval)



SPIKE MAUL—OVAL HANDLE
36"—Eye Size 1" x 1 1/8" for 6-10 lb. Spike or Track
Mauls—Same as Sledge Handle, but slightly
smaller throughout.




STRIKING HAMMER—OVAL HANDLE
36"—Eye Size 1" x 1 1/4" for 6-8 lb. Hammers.
Smaller in spring or brace—slightly smaller
throughout than Sledge.



NAPPING HAMMER—OVAL HANDLE
36"—EYE Size 1" x 3/4" for 3-4 lb. N. Hammers.
Eye Size 1 1/4" x 1" for 5-8 lb. N. Hammers.
Smaller all over than Sledge.



STRAIGHT TOOL OR SLEDGE HANDLE
Made on request.



POST MAUL—FARMER'S OVAL HANDLE
32", 36" Standard Eye Size 2 1/4" x 1 7/8"



AXE EYE WOOD CHOPPERS MAUL OVAL HANDLE
Eye Size 2 1/8" x 7/8" for 6-8 lb. Splitting Mauls.



HAMMER HANDLES FOR ACCURACY

ADZE EYE OVAL—CARPENTERS—NAIL—CLAW HAMMER HANDLES
12" Ladies (Smaller Size) for 4, 5, 7 oz. Ladies Hammers
12" Regular Size for 5 and 7 oz. standard make Hammers
13" for 13, 16 oz. Hammers—14" & 15" for 20 oz. Hammers
16" Slim Type for 20 oz. Hammers—18" for 24 and 28 oz. Hammers



OCTAGON ADZE EYE HAMMER HANDLES
Same lengths and size specifications as above for Oval.



MACHINIST OR BALL PEIN HAMMER HANDLES
Standard Oval Eye (Flat Eye and Round Eye furnished on request—
Octagon shape also available)



8", 10" for 2, 4 oz. Hammers—11", 12" for 6, 8 oz. Hammers
13", 14" for 12, 14 oz. and some 16 oz. Hammers
15", 16" for 16, 20 oz. and some 24 oz. Hammers
17", 18" for 24, 28, 32, and some 40, 48 oz. Hammers
20", 22" for 40, 48, 56 oz. Hammers—24" for 56, 64 oz. Hammers



RIVETING HAMMER HANDLE OVAL
10" for 4 oz. Hammers • 12" for 7-9 oz. Hammers
14" for 12-15 oz. Hammers • 16" for 18 oz. Hammers
These handles are slightly smaller than machinists.




TACK OR BRAD HAMMER HANDLES OVAL
10"-12" for 5 oz. Hammers • 14" for 7 oz. Hammers
Smaller than Riveting Hammer Handles.

SMARTLY STYLED, SINGLE BIT AXE HANDLES

SLIM—PEREECT (NORTHERN, NORTHWESTERN,
MICHIGAN) OVAL SINGLE BIT AXE HANDLE
28", 30", 32", 34", 36"—For 3-5 lb. Axes




STANDARD—LARGE (SOUTHERN, WESTERN,
EASTERN) OVAL SINGLE BIT AXE HANDLE
28", 30", 32", 34", 36"—For 3-5 lb. Axes




OCTAGON—SINGLE BIT AXE HANDLE
28", 30", 32", 34", 36"—For 3-5 lb. Axes




STRAIGHT OR LUMBERMAN'S SLIM—PERFECT
(NORTHERN, NORTHWESTERN, MICHIGAN) OVAL
SINGLE BIT AXE HANDLE
28", 30", 32", 34", 36"—For 3-5 lb. Axes




STRAIGHT OR LUMBERMAN'S—STANDARD—
LARGE (SOUTHERN, WESTERN, EASTERN) OVAL
SINGLE BIT AXE HANDLE
28", 30", 32", 34", 36"—For 3-5 lb. Axes




FRENCH (FAVORITE) OVAL SINGLE BIT AXE HANDLE
28", 30", 32"—For 3-5 lb. Axes




BOYS' (TOM SAWYER) OVAL SINGLE BIT AXE
HANDLE
28"—For 2 1/4 lb. Boys' Axe




MINER'S (STRAIGHT) OVAL SINGLE BIT AXE HANDLE
18", 20", 22", 24", 26", 28"—For 3-5 lb. Axes



BROAD (DELTA, MICHIGAN) OVAL SINGLE BIT
AXE HANDLE
33", 36"



BROAD—OCTAGON (DULUTH) OVAL SINGLE BIT
AXE HANDLE
36". Also Standard Pickaroon.



Note: We make handles to fit bush hooks also
gauged handles to fit perfect for any kind of
striking tool.

GIANT
CANT HOOK — PEAVY — JACK HANDLES

CANT HOOK AND PEAVY HANDLES

JACK AND CAR MOVER HANDLES


TIMBER CARRIER OR LUG HOOK HANDLES

SUPER STRONG, PICK & ADZE HANDLES

RAILROAD PICK—CLAY—MATTOCK—
SURFACE—TAMPING HANDLES
36"—For 5-10 lb. Picks—Standard Eye No. 6
Eye Size 3 1/8" x 2 1/8"—Special Eye No. 7
2 3/4" x 1 3/4" made on request.



GARDEN OR NURSERY MATTOCK HANDLE
Eye Size No. 7—2 3/4" x 1 3/4"
The handle is smaller all over than regular Pick.



MINER'S—COAL PICK OVAL HANDLES
30", 32", 34"—Plain End
Eye Size No. 1—3" x 3/8" for 1 1/2 to 1 3/4 lb. Picks
Eye Size No. 2—3" x 3/4" for 2 to 3 lb. Picks
Eye Size No. 3—3" x 7/8" for 3 1/2 to 5 lb. Picks
Eye Size No. 4—3" x 1" for Anthracite & Hvy. Picks
Eye Size No. 5—3 1/4" x 1 1/8" for Extra Hvy. Picks



MINER'S—DRIFT OR COAL PICK OVAL HANDLES
KNOB END
34"—Regular No. 10 Eye 3" x 1" for 2 to 6 lb. Picks
For West Virginia & Western Style 3 1/8" x 1 1/8"



POLL PICK SLIP EYE OVAL HANDLE
34"—No. 10 Eye Size 3" x 1"
Tool slips on over grip end of handle.



POLL PICK—SINGLE BIT OVAL HANDLES
34"—Eye size 2 5/8" x 1"



HOUSE CARPENTER'S ADZE HANDLES
34"



RAILROAD—SHIP ADZE HANDLES
34", 36"



HAMMER HANDLES FOR ACCURACY (con't)

BLACKSMITH OR PLOW OR ENGINEER'S HAMMER OVAL HANDLE
Larger throughout than machinists' hammer handles.
12" for 18 oz. Hammers • 14" for 24-32 oz. Hammers
16" for 40 oz. Hammers • 18" for 48 oz. Hammers
20"-22"-24" for 64 oz. Hammers



STRIKING OR HAND DRILL OR SINGLE JACK HAMMER HANDLES
12", 14", 16", 18", 20", 22", 24"
These handles are slightly larger throughout than Blacksmith Hammer Handles.



FARRIER HAMMER HANDLE (Has Flat Eye)
14" for 10 oz. Hammers • 16" for 12 oz. Hammers




BRICK HAMMER HANDLE (Adze Eye or Oval Eye)
12"-13" for 24 oz. Hammers • 14" for 32 oz. Hammers



STONE MASON OR N. Y. DRILL OR N. Y. STONE CUTTER OR N. Y.
STRIKING HAMMER HANDLES
13" for N. Y. Drills—Stone Cutter—Striking—Stone Mason
12", 14", 16", 18", 20", 22", 24",
Size of eyes are proportionate to length of handle.



MALLET HAMMER HANDLES
All sizes for Chicago Rawhide—Greene Tweed and others—When
ordering state name, Brand, and Number of Tool the handle is to fit.



SPECIAL HAMMER HANDLES
All sizes and kinds for popular makes—When ordering state Name,
Brand and Number of Tool the handle is to fit.



REGULAR AND SPECIAL HATCHET HANDLES—Easy to Use



SHINGLING OR HALF HATCHET HANDLES
Oval 12", 13", 14", 15"—For No. 1 and 2 Hatchets



BROAD OR BENCH HATCHET HANDLES
Oval 14", 15", 16", 17", 18"—For No. 2-3-4 Hatchets



LATHING HATCHET HANDLES
Oval 12", 13", 14", 15", 16"—For all Kinds & Sizes.



FRUIT BOX HATCHET HANDLES
Oval 12", 13", 14", 15", 16"



DERRICK OR RIG BUILDERS HATCHET HANDLES
18"—Also Clark Pattern available



SCOUT—CAMPER'S—HUNTER'S HATCHET HANDLES
14", 16", 18"



HOUSE AXE HANDLE
19"



HICKORY WEDGES
Power or Cross Cut Saw—All Sizes

BEAUTIFUL, DOUBLE BIT AXE HANDLES



SLIM—PERFECT (NORTHERN, NORTHWESTERN,
MICHIGAN) OVAL DOUBLE BIT AXE HANDLE
28", 30", 32", 34", 36", 38", 40", 42", 44"
For 3-5 lb. Axes




STANDARD—LARGE (SOUTHERN, WESTERN,
EASTERN) OVAL DOUBLE BIT AXE HANDLES
28", 30", 32", 34", 36", 38", 40", 42", 44"
For 3-5 lb. Axes



OCTAGON—DOUBLE BIT AXE HANDLE
28", 30", 32", 34", 36", 38", 40", 42", 44"
For 3-5 lb. Axes



CRUISER—CEDAR—LUMBERMAN'S OVAL DOUBLE
BIT AXE HANDLE
28", 30" For 2 1/4 lb. Axes



ADIRONDACK OVAL DOUBLE BIT AXE HANDLES
30", 33", 36" For 3-5 lb. Axes



DITCH BANK BLADE OVAL DOUBLE BIT HANDLE
36", 38", 40"
For Kelly, Atkins, Diston, Council Blades
(Must specify kind and if wanted bored)

STANDARD SIZES AND LENGTHS

2" x 2'	to 2 1/2'	3" x 5'	to 6'
2 1/4" x 2'	to 5'	3 1/4" x 5'	to 6'
2 1/2" x 3'	to 5 1/2'	3 1/2" x 5'	to 6'
2 3/4" x 4 1/2'	to 6'	3 3/4" x 2 1/4" x 5'	
		3 3/4" x 2 1/8" x 6'	

First figures are diameter at shoulder—
balance figures minimum and maximum
lengths in 6" graduations.
Small extra charge if peavy handles are
wanted bored.